

PTO/SB/08a (05-03)


Approved for use through 04/30/2003. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.



Substitute for form 1449A/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT <i>(use as many sheets as necessary)</i>				Complete If Known	
Application Number				10/850,126	
Filing Date				August 27, 2003	
First Named Inventor				Murphy et al.	
Art Unit				1743	
Examiner Name				Lyle Alexander	
Attorney Docket Number				CBK02115 (3600-374-33)	
Sheet	1	of	1		



[illegible]

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 18 if possible. Applicant is to place a check mark here if English language translation is attached. Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.



FOR PTO-1449 (REV. 7-80)	Atty. Docket No. CBK02115 (3600-374-33)	Application No. 10/650,125
INFORMATION DISCLOSURE STATEMENT	APPLICANT: MURPHY et al.	
	Filing Date: August 27, 2003	Group Art Unit: 3623


U.S. PATENT DOCUMENTS							
EXAMINER'S INITIALS		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB-CLASS	FILING DATE, IF APPROPRIATE
		3,229,507	1/18/66	Sljaka et al.	73	59	
		4,093,421	6/6/78	Jerkins	23	259.5	
		4,878,379	11/7/89	Deer	73	60	
		4,992,190	2/12/91	Shtarkman	252	62.52	
		5,303,578	4/19/94	Williams et al.	73	54.24	
		5,405,623	4/11/95	Barkalow et al.	426	5	
		5,792,941	8/11/98	Rye et al.	73	53.01	
		2003/0097871 A1	5/29/03	Mansky	73	64.49	
		2003/0164027 A1	9/4/03	Terrom	73	64.48	

FOREIGN PATENT DOCUMENTS								
		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB- CLASS	TRANSLATION	
							YES	NO
		EP 0253290	1/20/88	EPO	C03G	9/08	X	
		EP 0453625	10/30/91	EPO	C09K	7/02	X	
		EP 0919801	6/2/99	EPO	G01N	13/02	NO TRANSLATION See Int'l Search Report	
		GB 2378716	2/19/03	Great Britain	C09K	7/02	X	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
	International Search Report and Written Opinion for PCT/US2004/010261 dated October 19, 2004.
	International Search Report and Written Opinion for PCT/US2004/010267 dated October 15, 2004.
	International Search Report and Written Opinion for PCT/US2004/010259 dated October 21, 2004.

EXAMINER 	DATE CONSIDERED 6/20/07
--------------	----------------------------

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (REV 7-80)	Atty. Docket No. CBK02155 (3600-374-33)	Application No. 10/650,125
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT	APPLICANT: MURPHY et al.	
	Filing Date: August 27, 2003	Group Art Unit: 1743

U.S. PATENT DOCUMENTS							
EXAMINER'S INITIALS		DOCUMENT NUMBER	DATE	NAME	CLASS	SUB-CLASS	FILING DATE, IF APPROPRIATE
AX		5,190,739	5/2/93	MacKay et al.	423	450	X
		5,211,932	5/18/93	Blaylock et al.	423	450	
		5,688,317	11/18/97	MacKay et al.	106	476	
		5,974,167	10/26/99	Reszler	382	141	
		6,156,837	12/5/00	Branan, Jr. et al.	524	495	
		2003/0162876 A1	8/28/03	Vanier et al.	524	437	
OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)							
AX	Attachment A - Development History NO DATE SUPPLIED						
	Strom, "Wetting studies related to offset printing," Vol. 50-04C, pp. 768 (1988) Abstract only						
	Tikhonov, "On the evaluation of the work of adhesion, cohesion, and surface tension of high - viscous and solid bodies," Kolloidn Zh, Vol. 53, No. 3, pp. 552-558 (1991) Abstract only						
	Janczuk, et al., "Surface free energy components and adsorption properties of some porous glasses," Mater Chem Phys. Vol. 25, No. 2, pp. 185-198 (1990) Abstract only						
	Janczuk, et al., "Surface free energy of celestite and its flotation activity," Colloids Surf. Vol. 35, No. 1, pp. 41-48 (1989) Abstract only						
	Wojcik et al., "Gas-adsorption studies on correlations between the flotability of minerals and the work of water adhesion to their surfaces," Colloids Surf. Vol. 30, No. 3-4, pp. 275-285 (1988) Abstract only						
	Lipatov, "Adhesion at the polymer mixtures-solid interface," Vide, Couches Minces, Vol. 50 (274), pp. 415-420 (1994) Abstract only						
	Hill, "Wall slip in polymer melts: A pseudo-chemical model," J. Rheol. Vol. 42, No. 3, pp. 581-601 (1998) Abstract only						
	Scheie, "The upward force on liquid in a capillary tube," Am. J. Phys. Vol. 57, No. 3, pp. 278-289 (1989) Abstract only						
	Lee et al., "Effects of polymer-filler interaction on the mechanical properties of nylon 6,6 filled with organosilane-treated fillers," J. Adhes. Sci. Technol., Vol. 3, No. 4, pp. 291-303 (1989) Abstract only						
	Abramzon et al., "Determination of the work of adhesion and cohesion" ZH. Prikladnoi Khim, Vol. 53, No. 5, pp. 1040-1043 (1980) Abstract only						
	Mangipudi et al., Direct measurement of molecular level adhesion between poly(ethylene terephthalate) and polyethylene films: Determination of surface and interfacial energies," J. Adhesion Sci. Technol., Vol. 8, No. 11, pp. 1251-1270 (1994) Abstract only						
	Owen, "Surface properties of silicone release coatings," Proc. First Internat. Congress on Adhesion Science and Technology, pp. 255-263 (1995) Abstract only						
	Kaya, "The effect of pore fluid contamination on a selected physico-chemical parameters of fine grained soils (Adsorption, Conductivity), Vol. 57-05B, p. 3354 (1996) Abstract only						

FORM PTO-1449 (REV 7-80)	Atty. Docket No. CBK02155 (3600-374-33)	Application No. 10/650,125
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT	APPLICANT: MURPHY et al.	
	Filing Date: August 27, 2003	Group Art Unit: 1743

Qin, "Adhesion properties of polymeric materials (Asphalts, Cohesion), Vol. 57-02B, p. 1260 (1995) Abstract only
Stepanov, "Electrocapillary behaviour of liquid bismuth in binary melts of strontium chloride with sodium and cesium chlorides," Ehlektrokhimiya, Vol. 30, No. 8, pp. 1032-1038 (1994) Abstract only
Kulawik, et al., "Kinetics of the molecular interactions in some extraction system," ISEC '88 International solvent extraction Conference, Vol. 2, pp. 77-78 (1988) Abstract only
Nardin et al., "Stress transfer analysis in fibre/elastomer interfaces," Comptes-Rendus des Huitiemes Journées Nationales sur les Composites, "pp. 289-300 (1992) Abstract only
Maugis, "Adherence and Fracture Mechanics," Adhesive Bonding, pp. 303-335 (1991) Abstract only
Wan et al., "Surface forces at crack interfaces in mica in the presence of capillary condensation," Acta Metallurgica et Materialia, Vol. 38, No. 11, pp. 2073-2083 (1990) Abstract only
Savenko et al., "Effect of diamond-like carbon coatings on the mechanical properties of subsurface layers of single crystals of silicon," Physics and Chemistry of Materials Treatment, Vol. 31, No. 2, pp. 149-153 (1997) Abstract only
Lellig et al., "Glass and polymer: wetting and adhesion," Glass Science and Technology, Vol. 69, No. 11, pp. 357-367 (1996) Abstract only
Maugis, "Adherence of elastomers: fracture mechanics aspects," Journal of Adhesion, Vol. 23, No. 1, pp. 61-66 (1987) Abstract only
Riande et al., "Fundamental aspects of the adhesion of polymers," Revista de Plasticos Modernos, Vol. 80, No. 530, pp. 170-179 (2000) Abstract only
Gilbert, "Surface treatments for particulate fillers in plastics," Plastics Additives. AN A-Z reference, pp. 590-603 (1998) Abstract only
Maltese, "Interfacial energy between polymers," Materie Plastiche ed Elastomeri, Vol. 64, Nos. 1/2, pp. 74-78 (1999) Abstract only
Cherry et al., "Predicting work of adhesion using molecular modeling," Adhesion '96, Conference Proceed., Vol. 1, pp. 299-304 (1996) Abstract only
Feinerman et al., "Rule of interfacial equilibrium," J. Adhesion, Vol. 60, Nos. 1-4, pp. 99-112, (1997) Abstract only
Geraghty et al., "Investigation of parameters influencing bioadhesive properties of myverol 18-99/water gels," Biomaterials, Vol. 18, No. 1, pp. 63-67 (1997) Abstract only
Wimolkietisak et al., "Directly paintable, high adhesion polyolefin compounds, Plast' 21 No. 43, pp. 44-47 (1995) Abstract only
Drzal, et al., "Adhesion of carbon fibres to polycarbonate matrices: interphase composition and structure," Antec '95. Vol. II, Conference Proceedings, pp. 2877-2881 (1995) Abstract only
Moore, "Wetting in rubber-to-metal bonding agents," Rubb. Plast. News, Vol. 24, No. 7, pp. 17-18 (1994) Abstract only
Mangipudi et al., "Adhesion of thin polymer films: Effects of surface and interfacial energies and rheological properties," Antec '93 Conference Proceedings, Vol. III, pp. 3099-3100, (1993) Abstract only
Bautista et al., "Surface characterization of polypropylene used as a matrix in composite materials," Rev. Plast. Mod. Vol. 66, No. 449, pp. 505-509 (1993) Abstract only





↑
no
copies
on
character-
provided


FORM PTO-1449 (REV 7-80)	Atty. Docket No. CBK02155 (3600-374-33)	Application No. 10/650,125
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT	APPLICANT: MURPHY et al.	
	Filing Date: August 27, 2003	Group Art Unit: 1743

	Pritykin et al., "New thermodynamic characteristics of polymer adhesive properties," International Adhesion Conference, p 11.1-3 (1984) Abstract only
	Moskvitin, "Physicochemical Principles of Gluing and Adhesion Processes, NSF, Rpt. No. SFCISI-Agr (TT-68-50368, p. 187 (1969) Abstract only
	Mayne, "Further developments with epoxy/polyamine films," Corros. Sci., Vol. 35, Nos. 5/8, pp. 1359-1361 (1993) Abstract only
	Padday, "Spreading, wetting, and contact angles," J. Adhes. Sci. Tech., Vol. 6, No. 12, pp. 1347-1358 (1992) Abstract only
	Mark, "Future improvements in cohesive and adhesive strength of polymers. I.," Adhesives Age, Vol. 22, No. 7, pp. 35-40 (1979) Abstract only
XX	Hansen, "The three dimensional solubility parameter - key to paint component affinities: I. Solvents, Plasticizers, Polymers, and Resins," Journal of Paint Technology, Vol. 39, No. 505, pp. 104-117 (1967)
	Hansen, "The three dimensional solubility parameter - key to paint component affinities: II and III - II. Solvents, Plasticizers, Polymers, and Resins," Journal of Paint Technology, Vol. 39, No. 511, pp. 505-510 (1967)
	Hansen, "III. Independent calculation of the parameter components," Journal of Paint Technology, Vol. 39, No. 511, pp. 511-514 (1967)
	Hansen et al., "On the use of cohesion parameters to characterize surfaces," J. Adhesion, Vol. 15, pp. 275-286 (1983)
	Hansen, "Cohesion parameters for surfaces, pigments, and fillers," Surface Coatings International Vol. 8, pp. 386-391, (1997)
	Shareef et al., "Suspension interaction of pigments in solvents: characterization of pigment surfaces in terms of three-dimensional solubility parameters of solvents," Journal of Coatings Technology, Vol. 58, No. 733, pp. 35-44 (1986)
	Vinther, "Application of the concepts solubility parameter and pigment charge," Chemie des Peintures Engl. Vol. 34, No. 10, pp. 363-372 (1971)
	Schreiber, "Solvent balance, dispersion and rheological properties of pigmented polymer compositions," Journal of Paint Technology, Vol. 46, No. 598, pp. 35-39 (1974)
	Burrell, "The challenge of the solubility parameter concept," Journal of Paint Technology, Vol. 40, No. 520, pp. 197-208 (1968)
XX	Trudgian, "The pattern of solvent-resin-pigment affinities," Official Digest, Presented at the 41 st Annual Meeting of the Federation of Societies for Paint Technology, pp. 1210-1231 (1963)
XX	Schroder, Colloid chemistry aids to formulating inks and paints, Harmonization of the energetics of raw materials by using the solubility parameter concept," Vol. 5, No. 98, pp. 334-340 (no date)
	Chasey, "Methods for evaluating oil/polymer interactions in carbon black filled compounds," Rubber World, pp. 35-40 (1993) ✓
	Wolff, et al., "Filler-elastomer interactions. Part VII. Study on bound rubber," Rubber Chemistry and Technology, Vol. 66, No. 2, pp. 163-177 (1993)
	Barton, "CRC Handbook of solubility parameters and other cohesion parameters," pp. 1-21, (1991)
	Kaya, et al., "Interfacial parameters and work of adhesion in soil-liquid systems," Geotechnical Testing Journal, Vol. 23, No. 4, pp. 464-471 (2000)

100 COPIES OF CHARACTERIZATION
PROVIDED FOR CONSIDERATION.

FORM PTO-1449 (REV 7-80)	Atty. Docket No. CBK02155 (3600-374-33)	Application No. 10/650,125
SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT	APPLICANT: MURPHY et al.	
	Filing Date: August 27, 2003	Group Art Unit: 1743

	Skaarup, "The three dimensional solubility parameter and its use - II. Pigmented Systems," pp. 28-42 (no date)
	Grubenmann, "The solvent dependence of the solubility of organic solids, and solubility parameter theory: investigation by means of an organic pigment," Dyes and Pigments, Vol. 21, pp. 273-292 (1993)
EXAMINER 	DATE CONSIDERED 
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	



FORM PTO-1449 (REV 7-80)

Atty. Docket No. CBK02115
(3600-374-33)

Application No. 10/650,125

INFORMATION DISCLOSURE STATEMENT

APPLICANT: MURPHY et al.

Filing Date: August 27, 2003

Group Art Unit: Unassigned

U.S. PATENT DOCUMENTS


EXAMINER'S INITIALS	DOCUMENT NUMBER	DATE	NAME	CLASS	SUB-CLASS	FILING DATE, IF APPROPRIATE
RN	3,659,896	5/2/72	Smith et al.	296	93	
	4,071,496	1/31/78	Kraus et al.	260	42.36	
	4,088,628	5/9/78	Bernstein et al.	260	42.46	
	4,255,296	3/10/81	Ogawa et al.	260	5	
	4,259,218	3/31/81	Haws	260	5	
	4,360,627	11/23/82	Okado et al.	524	496	
	4,478,973	10/23/84	Misono et al.	524	496	
	4,540,560	9/10/85	Henderson et al.	423	445	
	4,548,980	10/22/85	Nagata et al.	524	495	
	4,678,830	7/7/87	Sato et al.	524	495	
	4,690,965	9/1/87	Hirata et al.	524	236	
	4,721,740	1/26/88	Takeshita et al.	523	215	
	4,914,147	3/3/90	Mouri et al.	524	495	
	5,093,407	3/3/92	Komai et al.	524	495	
	5,124,396	6/23/92	Branon, Jr., et al.	524	496	
	5,128,395	7/7/92	Terakawa et al.	524	274	
	5,162,421	11/10/92	Ue et al.	524	495	
	5,194,488	3/16/93	Piestert et al.	524	703	
	5,231,129	7/27/93	Misono	524	496	
	5,232,974	8/3/93	Branan, Jr. et al.	524	495	
	5,288,788	2/22/94	Shieh et al.	524	495	
	5,292,790	3/8/94	Shimizu et al.	524	496	
	5,310,777	5/10/94	Sekido et al.	524	496	
	5,321,072	6/14/94	Misono	524	496	
	5,322,724	6/21/94	Levens	428	57	
	5,322,874	6/21/94	Fujii et al.	524	227	



U.S. Patent Application No. 10/650,125

Page 2 of 4

5,352,289	10/4/94	Weaver et al.	106	476	
5,362,794	11/8/94	Inui et al.	624	496	
5,382,621	1/17/95	Laube	524	496	
5,426,148	6/20/95	Tucker	524	496	
5,428,099	6/27/95	Morrar et al.	524	495	
5,430,087	7/4/95	Carlson et al.	524	496	
5,480,626	1/2/96	Klasen et al.	423	449.1	
5,534,578	7/9/96	Wideman et al.	524	396	
5,547,609	8/20/96	Fujii et al.	252	511	
5,639,817	6/17/97	Probst et al.	524	496	
5,643,991	7/1/97	Stipe et al.	524	496	
5,652,298	7/29/97	Murray	524	571	
5,696,197	12/9/97	Smith et al.	524	495	
5,705,555	1/6/98	Guilfoy et al.	524	495	
5,714,096	2/3/96	Dorfman	252	511	
5,723,531	3/3/98	Visel et al.	524	496	
5,733,480	3/31/98	Lee et al.	252	511	
5,801,209	9/1/98	Chung et al.	521	99	
5,859,120	1/12/99	Karl et al.	524	495	
5,877,250	3/2/99	Sant	524	496	
5,877,251	3/2/99	Sant	524	496	
6,013,737	1/11/00	Takagishi et al.	525	332.7	
6,046,266	4/4/00	Sandstrom et al.	524	492	
6,056,933	5/2/00	Vogler et al.	423	449.1	
6,084,015	7/4/00	Chino et al.	524	189	
6,086,792	7/11/00	Reid et al.	252	511	
6,096,833	8/1/00	Araki et al.	525	342	
6,099,818	8/8/00	Freund et al.	423	449.1	
6,277,350 B1	8/21/01	Gerspacher	423	449.1	
6,228,928 B1	5/8/01	Soeda et al.	524	495	
6,391,274 B1	5/21/02	Vogler et al.	423	275	



U.S. Patent Application No. 10/650,125

Page 3 of 4

1	6,410,630 B1	6/25/02	Hoover et al.	524	365	
	US 6,448,309 B2	9/10/02	Mahmud et al.	523	215	
	US 2001/0036995 A1	11/1/01	Mahmud et al.	524	495	
	US 2002/0077409 A1	6/20/02	Sakaki et al.	524	496	
	US 2002/0107318 A1	8/8/02	Yamada et al.	524	495	
	US 2002/0156177 A1	10/24/02	Freund	524	496	
	US 2002/0173582 A1	11/21/02	Schmidt	524	504	

FOREIGN PATENT DOCUMENTS

DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUB-CLASS	TRANSLATION YES	TRANSLATION NO

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

1	"Bound Rubber and Carbon Black Reinforcement," by E. M Dannenberg, 1986, pp. 512-524.
	"Filler-Elastomer Interactions. Part VII. Study on Bound Rubber," by Siegfried Wolff et al., reprinted from RUBBER CHEMISTRY AND TECHNOLOGY, Vol. 66, No. 2, May-June 1993, 163-177.
	"Standard Test Method for Carbon Black – Iodine Adsorption Number," ASTM Designation D 1510-99, pp. 271-275.
	"Standard Test Method for Carbon Black – CTAB (Cetyltrimethylammonium Bromide) Surface Area," ATSM Designation D 3765-99, pp. 563-568.
	"Standard Test Methods for Carbon Black – Surface Area by Multipoint B.E.T. Nitrogen Adsorption," ATSM Designation D 4820-97, pp. 763-769.
	"Standard Test Methods for Carbon Black – External Surface Area by Multipoint Nitrogen Adsorption," ATSM Designation D 5816-96, pp. 878-880.
	"Standard Test Method for Carbon Black – Total and External Surface Area by Nitrogen Adsorption," ATSM Designation D 6556-00a, pp. 970-974.



U.S. Patent Application No. 10/650,125

Page 4 of 4

<i>R</i>	"Roles of Work of Adhesion between Carbon Blacks and Thermoplastic Polymers on Electrical Properties of Composites," by Soo-Jin Park et al., published in the JOURNAL OF COLLOID AND INTERFACE SCIENCE 255, pp. 145-149 (2002).
	"Component Interactions and the Stability of Some Pigment/Polymer Dispersions," by P. Mukhopadhyay et al., published in the JOURNAL OF APPLIED POLYMER SCIENCE, Vol. 67, pp. 245-253 (1998).
	"Adhesion and Components of Solid Surface Energies," by John H. Clint, published in CURRENT OPINION IN COLLOID & INTERFACE SCIENCE 6, pp. 28-33 (2001).
	"Estimation of the Reliability of Hansen-Parameters of Photooxidative Degraded Polymer Films by Contact Angle Measurements," by Anita Horn et al., Hildesheim, Germany, pp. 1-12.
<i>↓</i>	"Basic and Acidic Surface Oxides on Carbon Fiber and Their Influence on the Expected Adhesion to Polyamide," by A. Bismarck et al., published in COLLOIDS AND SURFACES, A: Physiochemical and Engineering Aspects 159, pp. 341-350 (1999).
EXAMINER <i>Alexander</i>	DATE CONSIDERED <i>6/20/07</i>
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	